




The End-of-Line
PACKAGING MACHINE
Manufacturer

CHUEN AN

MACHINERY INDUSTRIAL
CO., LTD.

WHERE WE SELL




WHO WE ARE


Chuen An Machinery Co., Ltd. has been a leading Taiwanese manufacturer who is specialized in designing and producing end-of-line packaging equipment since 1986. For the past 30 years, we have been focusing on innovative technology development, precise manufacturing, professional marketing, satisfied technical support and turnkey solutions.

We have built a reputation on a commitment to providing quality products and services rapidly responding to international needs for our customers all around the world. We are prepared to partner with you and help you to take your game to the next level when you need us!



What we have and **MORE!**
OEM services are available!



Semi-Auto Carton Sealer				Strapping Series Carton Sealer		Automatic Carton Sealer	
Model No.		CHS-6601		CHS-6601HB		CHS-6601A	
Mechanism		Side belt drive		Side belt drive		Side belt drive	
Tape Width		2" or 3" (optional)		2" or 3" (optional)		2" or 3" (optional)	
Carton Size Range	2" Tape	L150~∞xW110~500xH110~500 mm		L300~1000xW110~500xH120~600 mm		L150~∞xW130~500xH120~500 mm	
Carton Size Range	3" Tape	L150~∞xW135~500xH110~500 mm		L300~1000xW135~500xH120~600 mm		L150~∞xW155~500xH120~500 mm	
Suitable for		All sizes of cartons		All sizes of cartons		All sizes of cartons	
Machine Size		L1250 x W960 x H1420 mm		L1600 x W960 x H1520 mm		L1250 x W910 x H1315 mm	
Model No.		CHS-6602		CHS-6603HB		CHS-6603A	
Mechanism		Top and bottom belt drive		Top and side belt drive		Top and side belt drive	
Tape Head		2" or 3" (optional)		2" or 3" (optional)		2" or 3" (optional)	
Carton Size Range	2" Tape	L150~∞xW180~500xH110~500 mm		L300~1000xW130~500xH120~500 mm		L150~∞xW130~500xH120~500 mm	
Carton Size Range	3" Tape	L150~∞xW200~500xH110~500 mm		L300~1000xW155~500xH120~500 mm		L150~∞xW155~500xH120~500 mm	
Suitable for		Thin and tall cartons		Heavy load, up to 35 kg		Heavy load, up to 35 kg	
Machine Size		L1105 x W785 x H1420 mm		L1600 x W960 x H1520 mm		L1250 x W910 x H1315 mm	
Model No.		CHS-6603		Carton Sealer with Extended Pack Stations			
Mechanism		Top and side belt drive					
Tape Width		2" or 3" (optional)					
Carton Size Range	2" Tape	L150~∞xW130~500xH110~500 mm					
Carton Size Range	3" Tape	L150~∞xW155~500xH110~500 mm					
Suitable for		Heavy load, up to 35 kg					
Machine Size		L1250 x W960 x H1420 mm					

Features:

- Conveyor speed 20 m/ min
- Tape overlay L50~70±5mm
- Stainless roller table & locking casters
- Top mast with cushion to avoid case jammed
- Both side compression rollers
- High speed and durable tape head

Customization available:

- Emergency stop button or counter
- Extended pack station
- CE certified
- SUS304 body and safety doors
- Low tape and no tape indicator
- 60 seconds auto-stop



Flap Folding Carton Sealer		Automatic Carton Erector		Carton Edge Sealer
Model No.		CHS-6605	CHS-6701	CHS-6702
		Semi-Auto FF Carton Sealer	Vertical Carton Erector ■ ■	Semi-Auto Carton Edge Sealer ■
Mechanism		Top and side belt drive	Side belt drive	Top and bottom belt drive
Carton Size Range	2" Tape	L250~500xW130~500xH150~500mm	L250~500xW170~395xH90~550mm	-
Carton Size Range	3" Tape	L250~500xW150~500xH150~500mm	L250~500xW170~395xH90~550mm	L280~700xW250~600xH200~600mm
Capacity		Approx. 20 cartons per minute	8~10 cartons per minute	Approx. 15 cartons per minute
Machine Size		L1985 x W950 x H1625 mm	L2300 x W2260 x H1800 mm	L2100 x W1470 x H1500 mm
Model No.		CHS-6605S	CHS-6801	CHS-6702A
		Semi-Auto FF Carton Sealer	Horizontal Carton Erector ■ ■	Automatic Edge Carton Sealer ■
Mechanism		Side belt drive	Top and bottom belt drive	Top and bottom belt drive
Carton Size Range	2" Tape	L250~600xW110~500xH120~500mm	-	-
Carton Size Range	3" Tape	L250~600xW135~500xH120~500mm	L250~400xW220~370xH200~400mm	L280~630xW250~520xH225~600mm
Capacity		Approx. 20 cartons per minute	5~8 cartons per minute	Approx. 6 (auto), 20 (manual)/ min
Machine Size		L1900 x W960 x H1600 mm	L3200 x W1750 x H1915 mm	L2100 x W1450 x H1500 mm
Model No.		CHS-6605A	Belt Conveyor	Roller Conveyor
		Automatic FF Carton Sealer ■		
Mechanism		Top and side belt drive		
Carton Size Range	2" Tape	L300~500xW155~500xH150~500mm		
Carton Size Range	3" Tape	L300~500xW155~500xH150~500mm		
Capacity		Approx. 4 (auto), 20 (manual)/ min		
Machine Size		L1985 x W960 x H1625 mm		

Features:

- Pneumatic flap folding
- HMI & PLC control system ■
- Tape overlay L50~70±5mm
- Indicator lights and alarm ■
- Stainless roller table & locking casters
- Top mast with cushion to avoid case jammed

Customization available:

- Emergency stop button or counter
- CE certified
- SUS304 body & customize color
- Low tape and no tape indicator
- 60 seconds auto-stop
- Additional roller conveyor



L-Type Sealing Machine		Shrink Tunnel Machine	Sealing Machine w/ Shrink Tunnel
Model No.	CHL-4550A	CN-4520A	CHL-4050BN
	Automatic L-Type Sealer ■	Mini Shrink Tunnel	Semi-Auto L-Type Sealer
Sealing size	L500 x W450 mm	-	L500 x W400 mm
Tunnel size	-	L700 x W450 x H200 mm	L800 x W400 x H200 mm
Suitable product height	10~100 mm	10~150 mm	10~150 mm
Suitable shrink film	PVC, POF, PE	PVC, POF	PVC, POF
Conveyor speed	18 meters per minute	2~7 meters per minute	10 meters per minute
Machine size	L1600 x W950 x H1450 mm	L1330 x W720 x H1100 mm	L2600 x W760 x H1580 mm
Model No.	CHL-5050B	CN-4520PD	CHL-4050DN
	Semi-Auto L-Type Sealer ■■	POF Shrink Tunnel ■	Manual L-Type Sealer ■■
Sealing size	L500 x W500 mm	-	L500 x W400 x T0.32 mm
Tunnel size	-	L1000 x W450 x H200 mm	L700 x W450 x H200 mm
Suitable product height	10~250 mm	10~150 mm	10~150 mm
Suitable shrink film	PVC, POF	POF	PVC, POF
Conveyor speed	10 meters per minute	2~10 meters per minute	10 meters per minute
Machine size	L1700 x W900 x H1050 mm	L1400 x W710 x H1450 mm	L2150 x W820 x H1300 mm
Model No.	CHL-4050C	CN-4530E	Your idea, we develop!
	Manual L-Type Sealer ■	PE Shrink Tunnel ■	
Sealing size	L500 x W400 x T0.32 mm	-	
Tunnel size	-	L1500 x W450 x H300 mm	
Suitable product height	10~250 mm	10~250 mm	
Suitable for	PVC, POF	PVC, POF, PE	
Conveyor speed	10 meters per minute	2~8 meters per minute	
Machine size	L1625 x W790 x H1000 mm	L2400 x W790 x H1550 mm	

Features:

- PLC control system ■
- Adjustable conveyor speed
- Temperature control
- Re-circulating air chamber ■
- Impulse wire seal type ■
- Locking casters
- Pneumatic sealing type ■
- Electric magnetic type ■

Customization available:

- CE certified
- SUS304 body & customized color
- Closing conveyor kissing belt
- Roller/ Teflon net/ Mesh net conveyor
- Extra cooling system



	Pallet Stretch Wrapper	Horizontal Stretch Wrapper	Robot Stretch Wrapper
Model No.	CHW-1521	CHW-0300	CHW-B1200
	Semi-Auto Stretch Wrapper	Belt Drive Stretch Wrapper	Self-propelled Stretch Wrapper
Suitable product size	Ø1500 mm (turntable)	Round: Ø250~700 mm; Rectangular: L300~∞ x W250~900 mm	L700~∞ x W700~∞ mm
Wrapping height	H2100 mm	-	H730~2400 mm
Turntable loading weight	Max. 2000 kg (4400 lbs)	-	∞
Height	80 mm (turntable)	-	Max. 2400 mm (product height)
Speed	5~15 RPM (turntable)	100 RPM (rotary)	Max. 90 m/ min (rotary)
Speed	5 m/ min (film carriage)	-	-
Film specification	ID.76 x OD.250 x W500 mm x T17~35 micron	OD.250 x W250 mm	OD.250 x W500 mm
Machine size	L2623 x W1500 x H2410 mm	L2400 x W1650 x H2120 mm	L1650 x W1260 x H2800 mm
Model No.	CHW-1800	Features	Features
	Automatic Stretch Wrapper ■■	PLC control system	PLC control system
Suitable product size	Ø1800 (turntable) x H2100 mm	Adjustable tension (manual)	Rechargeable battery
Turntable loading weight	Max. 2000 kg (4400 lbs)	Ideal for long objects	Adjustable top and bottom layers
Turntable height	80 mm	-	4 separate wrap modes
Speed	5~15 RPM (turntable)	Optional	Optional
Speed	5 m/ min (film carriage)	Additional roller conveyor L1000/ 2000 mm	Pre-stretch system 200% and 300%
Film specification	ID.76 x OD.250 x W500 mm x T17~35 micron	Remote control	Remote control
Machine size	L2623 x W1800 x H2410 mm	-	-

Features:

- PLC control system
- Product height detector
- Separate top, bottom & up-down wrap count selectors
- Auto infeed, wrap and cut-off ■
- Remote control ■
- Adjustable wrap speed

Customization available:

- CE certified
- SUS304 body & customize color
- Additional roller conveyor
- Pre-stretch system 200%
- Turntable Ø1500/ 1650/ 2000 mm
- Access ramp and top press plate




**Looking for local
business partners!**



Contact us now!

TURNKEY SOLUTIONS



WHAT WE OFFER

CARTON SEALER/ ERECTOR

Carton Sealer (Semi-Auto/ Auto)
Carton Flap Folding Sealer (Semi-Auto/ Auto)
Carton Edge Sealer (Semi-Auto/ Auto)
Carton Erector

SHRINK TUNNEL

Mini Shrink Tunnel
POF Shrink Tunnel
PE Shrink Tunnel
Label Sleeve Heat Shrink Tunnel

STRETCH WRAPPER

Turntable Stretch Wrapper
Rotary Arm Stretch Wrapper
Luggage Wrapping Machine
Forklift with Rotary Arm Stretch Wrapper
Robot Stretch Wrapper
Top Sheet Dispenser Stretch Wrapper
Horizontal Stretch Wrapper

SEALING MACHINE

L-type Sealing Machine (Semi-Auto/ Auto)
Side Sealing Machine
4-side Sealing Machine
Sleeve Type Sealing Machine (Semi-Auto/ Auto)

OEM/ ODM/ TURNKEY SERVICES

Send us your REQUIREMENTS
SPECIFICATION today!



CHUEN AN MACHINERY INDUSTRIAL CO., LTD.

No. 8, Wugong 7th Road, Wufeng Dist., Taichung City 41353, Taiwan



+886 (4) 2331-8689



+886 (4) 2331-9689



chuenan.intsales@gmail.com; chuenan.chuenan@msa.hinet.net



www.chuen-an.com